



Embroidered Baby Quilt

by Darlene Guillory
Pfaff Education Consultant

A splash of flowers, a scalloped accent, and fine batiste are all it takes to create the perfect addition to baby's first room. Keep you new baby warm with this special cover-up.

SUPPLIES YOU'LL NEED:


2 yards of white batiste
1 yard of lightweight batting
Tear-away stabilizer
Robison-Anton rayon thread
Tear-away stabilizer
KK 2000™ Temporary Spray Adhesive
Pfaff *creative* cards No.300 (for other great borders try Pfaff *creative* cards No.36, 48, or 49)

FABRIC CUTTING INSTRUCTIONS:


Cut two 36" squares of batiste.
Cut one 36" square of batting.

EMBROIDERY:

1. Fold one batiste square into quarters and press. Open out the fabric.
2. In each quarter of the fabric measure and mark a line 2 1/2" in from each edge of the square drawing a square in each quarter. Measure and mark a second line 1 1/2" inside the first line.



3. Select a scallop stitch. Back fabric with the tear-away stabilizer and stitch a scallop stitch along the marking for each outer square. Change the thread color for each square. Remove the stabilizer.
4. Set your sewing machine for machine embroidery. Place only the tear-away stabilizer in the embroidery hoop. Adhere the wrong side of the fabric to the tear-away stabilizer with KK 2000™ spray.
5. Select a border motif from Pfaff *creative* cards No.300 and embroider the motif between the inner marked line and the scallop stitching. Repeat this motif on the square diagonally across from the completed square.



6. Select a second border motif and embroider the remaining two squares.
7. As an optional design element, embroider a flower or other design in the center of each square.

LET'S GET STARTED:

1. Place the quilt back and quilt front, right sides together on your work surface. Place the batting on top of the two layers. Pin through all the layers.
2. Stitch around outer edge of quilt with a 1/2" seam allowance leaving an opening for turning.
3. Trim the seams and turn right side out. Slipstitch the opening closed.
4. Stitch along the pressed quarter markings and the inner marked lines using the Integrated Dual Feed (IDT-System).